



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/668,689

09/22/2003

Mark Pearson

LIF-0004

1034

77845

7590

03/02/2010

Goodwin Procter LLP

Attn: Patent Administrator

135 Commonwealth Drive

Menlo Park, CA 94025-1105

EXAMINER

GARTLAND, SCOTT D

ART UNIT

PAPER NUMBER

3622

MAIL DATE

DELIVERY MODE

03/02/2010

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address : COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
10668689	9/22/2003	PEARSON, MARK	LIF-0004

Goodwin Procter LLP
Attn: Patent Administrator
135 Commonwealth Drive
Menlo Park, CA 94025-1105

EXAMINER

SCOTT D. GARTLAND

ART UNIT	PAPER
----------	-------

3622	20100222
------	----------

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents

Upon discussion with Mr. David Nakly, this letter is to clarify response date requirements. It appears that two copies of the same Non-Final Office Action were mailed, one in January, and one on Feb. 12, 2010. PALM records control in such matters, and since there is no recorded indication of mailing in January, the recorded mail date of Feb. 12, 2010 is controlling. Therefore, the time requirements for such actions as the shortened statutory response period run from the Feb. 12, 2010 mail date.

/S. D. G./
Examiner, Art Unit 3622

/John Van Bramer/
John Van Bramer
Primary Examiner, Art Unit 3622